

# Positive rhombic 55°

DCMT





Image similar

Designation	l mm	r mm	f mm	ap mm	Materials					
					P	M	K	N	S	H
 Geometry: PF (16) P M S	7.75 - 11.63	0.4 - 0.8	0.05 - 0.4	0.3 - 3						
										
DCMT070204-PF WPP10S	7.75	0.4	0.05-0.25	0.3-2	☺	☺	☺	☺	☺	☺
DCMT070204-PF WPP20S	7.75	0.4	0.05-0.25	0.3-2	☹	☺	☺	☺	☺	☺
DCMT070204-PF WSM20S	7.75	0.4	0.05-0.25	0.3-2	☺	☹	☺	☺	☹	☺
DCMT070204-PF WSM30S	7.75	0.4	0.05-0.25	0.3-2	☺	☹	☺	☺	☹	☺
DCMT070208-PF WSM20S	7.75	0.8	0.05-0.25	0.3-2	☺	☹	☺	☺	☹	☺
DCMT070208-PF WSM30S	7.75	0.8	0.05-0.25	0.3-2	☺	☹	☺	☺	☹	☺
DCMT11T304-PF WPP01	11.63	0.4	0.07-0.3	0.3-3	☺	☺	☺	☺	☺	☺
DCMT11T304-PF WPP10S	11.63	0.4	0.07-0.3	0.3-3	☺	☺	☺	☺	☺	☺
DCMT11T304-PF WPP20S	11.63	0.4	0.07-0.3	0.3-3	☹	☺	☺	☺	☺	☺
DCMT11T304-PF WSM20S	11.63	0.4	0.07-0.3	0.3-3	☺	☹	☺	☺	☹	☺
DCMT11T304-PF WSM30S	11.63	0.4	0.07-0.3	0.3-3	☺	☹	☺	☺	☹	☺





Designation	l mm ▾ ▲	r mm ▾ ▲	f mm ▾ ▲	a <sub>p</sub> mm ▾ ▲	Materials							
					P	M	K	N	S	H	O	
DCMT11T304-PF4 WPP01	11.63	0.4	0.05–0.16	0.1–1.5	☺							
DCMT11T308-PF4 WPP01	11.63	0.8	0.08–0.2	0.1–1.5	☺							
✓  Geometry: FM6 (6) <span style="background-color: yellow; padding: 2px;">M</span> <span style="background-color: #d3d3d3; padding: 2px;">S</span>	7.75 - 11.63	0.4 - 0.8	0.08 - 0.32	0.3 - 2								
DCMT070204-FM6 WSM20S	7.75	0.4	0.08–0.25	0.3–1.6		☹			☹			
DCMT070204-FM6 WSM30S	7.75	0.4	0.08–0.25	0.3–1.6		☹			☹			
DCMT11T304-FM6 WSM20S	11.63	0.4	0.08–0.25	0.3–2		☹			☹			
DCMT11T304-FM6 WSM30S	11.63	0.4	0.08–0.25	0.3–2		☹			☹			
DCMT11T308-FM6 WSM20S	11.63	0.8	0.12–0.32	0.6–2		☹			☹			
DCMT11T308-FM6 WSM30S	11.63	0.8	0.12–0.32	0.6–2		☹			☹			
✓  Geometry: FP6 (6) <span style="background-color: #add8e6; padding: 2px;">P</span>	7.75 - 11.63	0.4 - 0.8	0.06 - 0.25	0.3 - 2								
DCMT070204-FP6 WPP20S	7.75	0.4	0.06–0.18	0.3–2	☹							
DCMT070204-FP6 WPP10S	7.75	0.4	0.06–0.18	0.3–2	☺							
DCMT11T304-FP6 WPP20S	11.63	0.4	0.08–0.2	0.3–2	☹							
DCMT11T304-FP6 WPP10S	11.63	0.4	0.08–0.2	0.3–2	☺							
DCMT11T308-FP6 WPP10S	11.63	0.8	0.1–0.25	0.5–2	☺							
DCMT11T308-FP6 WPP20S	11.63	0.8	0.1–0.25	0.5–2	☹							
✓  Geometry: FK6 (6) <span style="background-color: #ffb6c1; padding: 2px;">K</span>	7.75 - 11.63	0.4 - 0.8	0.06 - 0.25	0.3 - 2								
DCMT070204-FK6 WKK10S	7.75	0.4	0.06–0.18	0.3–2			☹					
DCMT070204-FK6 WKK20S	7.75	0.4	0.06–0.18	0.3–2			☹					
DCMT11T304-FK6 WKK10S	11.63	0.4	0.08–0.2	0.3–2			☹					
DCMT11T304-FK6 WKK20S	11.63	0.4	0.08–0.2	0.3–2			☹					
DCMT11T308-FK6 WKK10S	11.63	0.8	0.1–0.25	0.5–2			☹					

Designation	l	▲	r	▲	f	▲	a <sub>p</sub>	▲	Materials						
	mm	▽	mm	▽	mm	▽	mm	▽	P	M	K	N	S	H	O
DCMT11T308-FK6 WKK20S	11.63		0.8		0.1–0.25		0.5–2				☞				